

Safety Data Sheet (SDS)

Section 1: Product and Company Identification

Product code(s):	F0102	SDS No.	F0102-1
Product name:	POLY XAN LMS	Creation date:	07/22/2025
Additional names:	ECOPOL XANLMS	Revision date:	---
Trade name:	Xanthan Gum	Revision:	0
Recommended uses:	Gelling agent		
Restricted uses:	Consumer use		
Producer/supplier:	Economy Polymers & Chemicals 435 E. Anderson Road Houston, TX 77047 (713) 723-8416 sales@economypolymers.com	Emergency contact: CHEMTREC SDS created by:	(703) 527-3887 (800) 424-9300 Economy EHS

Section 2: Hazards Identification

Health hazards (29 CFR 1910.1200, Appendix A)	Skin Corrosion, Category 2 (irritant) Specific Target Organ Toxicity - Single Exposure (STOT-SE), Category 3
Physical hazards (29 CFR 1910.1200, Appendix B)	Flammable Liquids, Category 4
Environmental hazards	Hazardous to the aquatic environment, long-term hazard, Category 2

Signal Word: **WARNING**

Pictogram(s):



Safety Data Sheet (SDS)

GHS Hazard Statement(s)

H227: Combustible liquid

H315: Causes skin irritation

H336: May cause drowsiness or dizziness

Note: Even if no official GHS hazard statements are listed, please review Section 16 for “additional hazards not otherwise classified.”

GHS Precautionary Statement(s)

Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Storage

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Section 3: Composition

<u>CASRN</u>	<u>Hazardous Components</u>	<u>Concentration (% / wt.)</u>
64742-47-8	Petroleum distillates, hydrotreated light	45-55%
11138-66-2	Xanthan gum	40-50%
108-32-7	Propylene carbonate	≤ 1%

Note: Only the hazardous constituent components greater than 1.0% by weight (0.1% for carcinogens) are listed above.

Safety Data Sheet (SDS)

Section 4: First Aid Measures

In case of inhalation:	• Move the exposed person to fresh air at once. • Seek medical attention at once if respiratory irritation develops or if breathing becomes difficult. • If breathing stops, provide CPR; call 9-1-1.
In case of skin contact:	• Wash off immediately with soap and plenty of water. • Remove contaminated clothing (wash before reuse). • Avoid allowing the spread of the material to unaffected skin. • Get medical attention if irritation or rash develops.
In case of eye contact:	• Remove contact lenses, if applicable. • Do not rub eyes. • Use suitable eyewash solutions. Preferably an eyewash station capable of delivering a 15-minute continuous flush. • Seek immediate medical attention.
In case of ingestion:	• Give plenty of water. • Do NOT induce vomiting without medical advice. • If vomiting occurs spontaneously, properly position the individual to mitigate risks of aspiration. • Immediately seek medical treatment. • Never give anything by mouth to an individual who has lost consciousness
Signs and symptoms of exposure:	• See Section 11 of this SDS.
Note to physician:	• SDS is immediately available.
Additional notes:	• The severity of the symptoms described will vary dependent on the concentration and the length of exposure. If adverse symptoms develop, the individual should be transferred to hospital as soon as possible.

Safety Data Sheet (SDS)

Section 5: Fire Fighting Measures

Suitable extinguishing media:	Water spray	Dry chemical powder
	Alcohol-resistant foam	Carbon dioxide (CO ₂)
Unsuitable extinguishing media and/or method:	If water is used, do not use a solid water stream as it may scatter and spread fire.	
Specific and/or unusual hazards:	Product is not considered flammable, but may burn at high temperatures	
Special protective equipment and precautions for firefighters:	- Wear full-protective clothing, including positive pressure NIOSH-certified SCUBA, as appropriate - Containers in and near the fire should be immediately cooled with water or removed, if safe to do so.	
Fire-fighting equipment and/or special instructions/advice:	Do not allow contaminated extinguisher media, including water, to enter storm drains or other routes leading to bodies of water.	
Hazardous combustion by-products	Primarily CO_x and hydrocarbons	

Section 6: Accidental Release Measures

Personal precautions, PPE, and emergency procedures:	- Handle in accordance with good industrial hygiene and safety practices. - Wear appropriate personal protective equipment (PPE), see Section 8. Do not handle spilled material without adequate PPE. - Ensure adequate ventilation when using this material. - Be aware of hazardous by-products released after ignition or excessive heating.
Methods and materials for containment and clean-up:	Use appropriate containment berms to prevent entering storm drains, sewers, retention ponds, and other routes to outside waterways. Notify local/State authorities if this occurs.
Environmental precautions:	- Do not allow spills, including water run-off from fire-fighting or spill clean-up, to fall into storm drains, sewers, or otherwise reaching outside waterways. Use containment or barriers as necessary. - Use appropriate packaging for waste collection. - Properly label the packaging and dispose of contaminated wash water and any other clean-up media in accordance with local, state, and federal regulations. - Document and retain all release information for purposes of reporting, if applicable.

Safety Data Sheet (SDS)

Section 7: Handling and Storage

Precautions for safe handling:	• Wear appropriate PPE. See Section 8 for required/recommended PPE. • Avoid contact with eyes. • Wash hands and skin thoroughly after handling this product. • Have fire extinguishing device(s) nearby when handling. • Use only in well-ventilated environments.
Conditions for safe storage:	• Store and handle in accordance with current regulations and standards. • Protect from static discharges, excessive heat, or open flame. • Protect from physical damage to container/packaging. • Maintain good housekeeping. Clean-up spilled contents. • Have fire extinguishing device(s) in storage area.

Section 8: Exposure Controls & Personal Protection

Occupational exposure limits

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Petroleum distillates, hydrotreated light (64742-47-8)	OSHA PEL 8-hour TWA	PEL-TWA	2000 mg/m ³
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	350 mg/m ³
		REL-STEL	Not listed
		REL-C	1800 mg/m ³
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	200 mg/m ³ (15-min)
		TLV-STEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	1600 mg/m ³
		PEL-C	Not listed
		Skin designation	Not listed

Safety Data Sheet (SDS)

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Xanthan gum (11138-66-2)	OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	Not listed
		REL-STEL	Not listed
		REL-C	Not listed
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	Not listed
		TLV-STEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed

Note: ACGIH and NIOSH information available: [Occupational Chemical Database | Occupational Safety and Health Administration \(osha.gov\)](#)

Additional information	
Engineering controls:	
• Use in a well-ventilated area • Local exhaust ventilation should be used in areas without good cross-ventilation • Dusts, if applicable, should be controlled and prevented from accumulating, especially in confined areas or areas of limited ventilation.	
PPE	
Respiratory:	If engineering and administrative controls cannot keep exposure below occupational exposure limits, or if exposure is simply unknown, a NIOSH-certified respirator (organic vapor cartridge) should be used. Before donning the respirator, the user should have been properly fit-tested by a qualified entity.
Hands:	Chemical-resistant gloves
Skin:	Long sleeves; chemical apron
Eyes	Chemical goggles or safety glasses
Additional Notes:	Eyewash and shower stations should be nearby and easily accessible

Section 9: Physical and Chemical Properties

Appearance		Method used/Remarks
Physical state:	Liquid/slurry	
Color:	Beige	
Odor:	Mild hydrocarbon	
Odor threshold:	Not available	
pH:	Not available	
Freezing/melting point:	Not applicable	
Boiling point/range:	Not applicable	
Pour point:	Not applicable	
Flash point:	> 62C (143F)	
Autoignition temperature:	Not available	
Decomposition temperature:	Not available	
Flammability (solid, gas):	Not applicable	
Explosive properties:		
Upper/lower flammability or explosive limits:		
Flammability limit – upper (%)	Not explosive	
Flammability limit – lower (%)	Not explosive	
Combustible dust:	Not applicable	
Vapor pressure (mm/Hg):	Not applicable	
Vapor density (Air = 1):	Not applicable	
Evaporation rate (Butyl Acetate = 1):	Not applicable	
Specific gravity (Water = 1):	1.03 – 1.10	
Density:		
Water solubility:	Forms gel	
Viscosity (Dynamic):	Not applicable	
Viscosity (Kinematic):	Not applicable	
Partition coefficient (n/octanol/water):	Not available	
Surface tension:	Not available	
Particle size:	694 µm	

Section 10: Stability and Reactivity

Chemical stability/reactivity:	- Stable under recommended use and storage conditions - Suspended dusts in air can be explosive
Possibility of hazardous reactions:	Hazardous polymerization is not expected to occur
Conditions to avoid:	- Direct sunlight - Extreme temperatures - Ignition sources (in areas of significant dust accumulation)
Incompatible materials:	- Strong oxidizers - Strong acids and bases
Hazardous decomposition products:	Primarily COx and hydrocarbons

Section 11: Toxicological Information

Information on likely routes of exposure	
Inhalation:	May cause some irritation to airway if directly inhaling – especially in higher doses. Signs/symptoms may include cough, shortness of breath, irritation to nasal passage. Use dust mask in areas of significant dust generation.
Skin/dermal contact (absorption):	Can cause skin irritation. Signs/symptoms may include localized redness and itching. Make affect users with sensitive skin more
Eye contact:	May cause mild eye irritation. Signs/symptoms may include redness and itching
Ingestion:	May be harmful if swallowed in high doses. May cause gastrointestinal irritation and other adverse effects. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea in high doses.

Information on toxicological effects				
Acute inhalation toxicity				
<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light (64742-47-8)	LC50	> 5.2 mg/l	Rat	4-hours
Xanthan gum (11138-66-2)	LC50	21 mg/l	Rat	1-hour

Safety Data Sheet (SDS)

Acute dermal toxicity

<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light (64742-47-8)	LD50	> 2000 mg/kg	Rabbit	Not stated
Xanthan gum (11138-66-2)	LD50	2 ml @ 1% sol.	Rabbit	6-weeks

Acute oral toxicity

<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light (64742-47-8)	LD50	> 5000 mg/kg	Rat	Not stated
Xanthan gum (11138-66-2)	LD50	45000 mg/kg	Rat	Not stated

Serious eye corrosion/irritation

No evidence to support serious eye corrosion or irritation; however, irritation may be experienced by means of transfer from hand-to-face contact

Serious skin corrosion/irritation

Causes irritation to skin.

Respiratory sensitization

Product not classified as a respiratory sensitizer

Skin sensitization

Product not classified as a skin sensitizer

Safety Data Sheet (SDS)

Carcinogenicity:						
Component	CASRN	IARC	ACGIH	OSHA	NTP	EPA
Petroleum distillates	64742-47-8	X	X	X	X	X
Xanthan gum	11138-66-2	X	X	X	X	X

"X" denotes "not a carcinogen," "not classifiable as a human carcinogen," or no information available

IARC – International Agency for Research on Cancer	1 2A 2B	Carcinogenic to humans Probably carcinogenic to humans Possibly carcinogenic to humans
ACGIH – American Conference of Governmental Industrial Hygienists	A1 A2 A3	Known human carcinogen Suspected human carcinogen Animal carcinogen
OSHA – Occupational Safety and Health Administration	1A 1B 2	Known to have carcinogenic potential for humans, based on human evidence Presumed to have carcinogenic potential for humans, based on animal evidence Suspected human carcinogen
NTP – National Toxicity Program	K RA	Known carcinogen Reasonably anticipated to be a human carcinogen
EPA	A B1 B2 C	Carcinogenic to humans Probably carcinogenic; evidence from animal testing, with limited human evidence Probably carcinogenic; evidence from animal testing, with no human evidence Possibly carcinogenic; limited animal testing evidence . . . no human evidence

Based on individual component listings, this mixture is NOT a suspected carcinogen hazard

Reproductive toxicity:	
Component(s)	Evaluation
Petroleum distillates, hydrotreated light	Not classified
Xanthan gum	Not classified

Germ cell mutagenicity:	
Component(s)	Evaluation
Petroleum distillates, hydrotreated light	Not classified
Xanthan gum	Not classified

Teratogenicity:	
Component(s)	Evaluation
Petroleum distillates, hydrotreated light	Not classified
Xanthan gum	Not classified

Safety Data Sheet (SDS)

Specific target organ toxicity – Single exposure (STOT-SE):

<u>Component(s)</u>	<u>Evaluation</u>
Petroleum distillates, hydrotreated light	Not classified
Xanthan gum	Not classified

Specific target organ toxicity – Repeated exposure (STOT-RE):

<u>Component(s)</u>	<u>Evaluation</u>
Petroleum distillates, hydrotreated light	Not classified
Xanthan gum	Not classified

Additional hazards

<u>Component(s)</u>	<u>Hazard(s)</u>
Mixture	No additional hazards not already stated

Routes of entry

<u>Component(s)</u>	<u>Entry</u>
Mixture	Ingestion, inhalation, eye contact, dermal

Section 12: Ecological Information

Ecotoxicity (fish)

<u>Component(s)</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light 64742-47-8	LC50	2 - 5 mg/l	Oncorhynchus mykiss (rainbow trout)	96-hours
Xanthan gum (11138-66-2)	LC50	490 mg/l	Oncorhynchus mykiss (rainbow trout)	96-hours

Ecotoxicity (invertebrates)

<u>Component(s)</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light 64742-47-8	EC50	~ 1.4 mg/l	Daphnia magna (water flea)	48-hours
Xanthan gum (11138-66-2)	EC50	980 mg/l	Daphnia magna (water flea)	48-hours

Safety Data Sheet (SDS)

Ecotoxicity (algae)				
<u>Component(s)</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light 64742-47-8	EC50	~ 1.3 mg/l	Pseudokirchneriella subcapitata (green algae)	72-hours
Xanthan gum (11138-66-2)	EC50	Not available	Not available	Not available

Note: This product is hazardous to aquatic life

Additional information	
Component: Mixture	
Biodegradability:	Not available
Bioaccumulative potential:	Not available
Mobility in soil:	Moderately mobile
Additional notes:	- This preparation contains no substance considered to be persistent, bioaccumulating, nor toxic (PBT) - This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Section 13: Disposal Considerations

General:	Dispose in accordance with applicable local, state, and federal regulations. Do not allow waste to drain into storm drains, sewers, or any other mechanism that would allow introducing into an offsite water way.	
Hazardous waste:	See comment	Follow RCRA guidance to determine if hazardous waste
RCRA hazardous waste code(s):	For a complete listing of RCRA hazardous waste codes, please refer to the RCRA Information page of the EPA, Waste Code (epa.gov)	

Section 14: Transport Information

Department of Transportation (DOT)

UN/NA number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary group)	-----
Packing group	-----
Reportable Quantity (RQ)	-----

Note: None

International Air Transport Administration (IATA) & International Civil Aviation Organization (ICAO)

UN number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary class)	-----
Packing group	-----

International Maritime Dangerous Goods (IMDG) & International Maritime Organization (IMO)

UN number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary group)	-----
Packing group	-----
Marine pollutant:	-----
EmS-No	-----

Note: Refer to the 49 CFR 172.101 Table for additional information related to packaging types, exceptions, and specific information related to airlines, air cargo, and sea freight requirements.

Note: Identification numbers beginning with NA refer to being a regulated DOMESTIC shipment only. This can include air and maritime in addition to highway. Consult the 49 CFR 172.101 table for specific shipping information. Shipments with identification numbers beginning with NA are not to be used for international shipments of any kind.

Note: Some carriers have additional requirements. Contact your carrier for any additional requirements not already stated in the 49 CFR 172.101 Table.

Safety Data Sheet (SDS)

Section 15: Regulatory Information

US Federal Regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substance Control Act (TSCA)	The hazardous components listed in Section 3 of this SDS are active in the US EPA TSCA Inventory listing.	
OSHA specifically regulated substances (29 CFR 1910.1001-1050)	No	
EPCRA SARA 302 (Extremely Hazardous Substances)	No	
SARA 311/312 (Tier I/II Reporting)	Yes	
SARA 313 (Toxic Release Inventory)	No	Note: N/A
Clean Air Act, Section 112 (Hazardous Air Pollutants)	No	Note: N/A
Clean Air Act, Section 112r (Risk Management Plan)	No	

US State Regulations

California Proposition 65	WARNING: This product does not contain substances which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
---------------------------	---

Chemical name	CASRN	California Proposition 65 Type of Toxicity
---	---	---

Global inventory status

	<u>AICS</u>	<u>DSL</u>	<u>NDSL</u>	<u>IECSC</u>	<u>EINECS</u>	<u>ENCS</u>	<u>KECL</u>	<u>NZIoC</u>	<u>PICCS</u>	<u>TCSI</u>	<u>TSCA</u>
64742-47-8	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
11138-66-2	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed


Note: As a mixture, this product will not be found on global inventory lists

Note: The information used to confirm the compliance status of this product may include additional components not listed in Section 3.

Section 16: Other Information

HMIS[®] 4th edition:
NFPA 704:

HEALTH	2
FLAMMABILITY	1
PHYSICAL	0
PPE Level	C



Note:
Additional information related to PPE levels can be found in 29 CFR 1910.120, Appendix B

Users of this product should follow the HMIS, 4th edition label (top left).

Additional hazards,
not otherwise
classified (HNOC):

None

Note to reader:

The information herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Economy Polymers & Chemicals assumes no responsibility for personal or property damage to vendors, users, or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

This SDS was generated in accordance with the Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 09/25/2015

Revision date:

07/22/2025