

Safety Data Sheet (SDS)

Section 1: Product and Company Identification

Product code(s):	F0381	SDS No.	F0381
Product name:	POLY DET	Creation date:	07/16/2025
Additional names:	POLY DET P	Revision date:	---
Trade name:	Surfactant	Revision:	0
Recommended uses:	Oil & gas cleaning surfactant		
Restricted uses:	Consumer use		
Producer/supplier:	Economy Polymers & Chemicals 435 E. Anderson Road Houston, TX 77047 (713) 723-8416 sales@economypolymers.com	Emergency contact: CHEMTREC SDS created by:	(703) 527-3887 (800) 424-9300 Economy EHS

Section 2: Hazards Identification

Health hazards (29 CFR 1910.1200, Appendix A)	Physical hazards (29 CFR 1910.1200, Appendix B)
Acute Toxicity, Oral, Category 4	Flammable Liquids, Category 4
Acute Toxicity, Dermal, Category 4	
Acute Toxicity, Inhalation-Vapors, Category 4	Environmental hazards
Skin Corrosion, Category 2 (irritant)	Hazardous to the aquatic environment, acute hazard, Category 2
Serious Eye Damage/Eye Irritation, Category 2A (irritant)	

Signal Word: **WARNING**

Pictogram(s):



Safety Data Sheet (SDS)

GHS Hazard Statement(s)

H227: Combustible liquid

H303: May be harmful if swallowed

H313: May be harmful in contact with skin

H320: Causes eye irritation

H333: May be harmful if inhaled

H411: Toxic to aquatic life with long-lasting effects

GHS Precautionary Statement(s)

Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260: Do not breathe dust/fume/gas/mist/vapors/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash before reuse

Storage

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

Safety Data Sheet (SDS)

Section 3: Composition

<u>CASRN</u>	<u>Hazardous Components</u>	<u>Concentration (% / wt.)</u>
78330-21-9	Alcohol ethoxylate	15 - 20%
67-48-1	Choline chloride	4 - 8%
111-76-2	2-butoxyethanol	2 - 5%
67-56-1	Methanol	1%

Note: Only the hazardous constituent components greater than 1.0% by weight (0.1% for carcinogens) are listed above.

Section 4: First Aid Measures

In case of inhalation:	• Move the exposed person to fresh air at once. • Seek medical attention at once if respiratory irritation develops or if breathing becomes difficult. • If breathing stops, provide CPR; call 9-1-1.
In case of skin contact:	• Wash off immediately with soap and plenty of water. • Remove contaminated clothing (wash before reuse). • Avoid allowing the spread of the material to unaffected skin. • Get medical attention if irritation or rash develops.
In case of eye contact:	• Remove contact lenses, if applicable. • Do not rub eyes. • Use suitable eyewash solutions. Preferably an eyewash station capable of delivering a 15-minute continuous flush. • Seek immediate medical attention.
In case of ingestion:	• Give plenty of water. • Do NOT induce vomiting without medical advice. • If vomiting occurs spontaneously, properly position the individual to mitigate risks of aspiration. • Immediately seek medical treatment. • Never give anything by mouth to an individual who has lost consciousness
Signs and symptoms of exposure:	• See Section 11 of this SDS.
Note to physician:	• SDS is immediately available.
Additional notes:	• The severity of the symptoms described will vary dependent on the concentration and the length of exposure. If adverse symptoms develop, the individual should be transferred to hospital as soon as possible.

Section 5: Fire Fighting Measures

Safety Data Sheet (SDS)

Suitable extinguishing media:	Water spray	Dry chemical powder
	Alcohol-resistant foam	Carbon dioxide (CO ₂)
Unsuitable extinguishing media and/or method:	If water is used, do not use a solid water stream as it may scatter and spread fire.	
Specific and/or unusual hazards:	Product is not considered flammable, but may burn at high temperatures	
Special protective equipment and precautions for firefighters:	- Wear full-protective clothing, including positive pressure NIOSH-certified SCUBA, as appropriate - Containers in and near the fire should be immediately cooled with water or removed, if safe to do so.	
Fire-fighting equipment and/or special instructions/advice:	Do not allow contaminated extinguisher media, including water, to enter storm drains or other routes leading to bodies of water.	
Hazardous combustion by-products	Primarily CO_x; acrid fumes may be released	

Section 6: Accidental Release Measures

Personal precautions, PPE, and emergency procedures:	- Handle in accordance with good industrial hygiene and safety practices. - Wear appropriate personal protective equipment (PPE), see Section 8. Do not handle spilled material without adequate PPE. - Ensure adequate ventilation when using this material. - Be aware of hazardous by-products released after ignition or excessive heating.
Methods and materials for containment and clean-up:	Use appropriate containment berms to prevent entering storm drains, sewers, retention ponds, and other routes to outside waterways. Notify local/State authorities if this occurs.
Environmental precautions:	- Do not allow spills, including water run-off from fire-fighting or spill clean-up, to fall into storm drains, sewers, or otherwise reaching outside waterways. Use containment or barriers as necessary. - Use appropriate packaging for waste collection. - Properly label the packaging and dispose of contaminated wash water and any other clean-up media in accordance with local, state, and federal regulations. - Document and retain all release information for purposes of reporting, if applicable.

Section 7: Handling and Storage

Safety Data Sheet (SDS)

Precautions for safe handling:	• Wear appropriate PPE. See Section 8 for required/recommended PPE. • Avoid contact with eyes. • Wash hands and skin thoroughly after handling this product. • Do not breath vapors or mists. • Have fire extinguishing device(s) nearby when handling. • Use only in well-ventilated environments. • Wet spilled contents prior to clean-up to avoid dust generation.
Conditions for safe storage:	• Store and handle in accordance with current regulations and standards. • Protect from static discharges, excessive heat, or open flame. • Protect from physical damage to container/packaging. • Maintain good housekeeping. Clean-up spilled contents; wet before clean-up. • Have fire extinguishing device(s) in storage area.

Section 8: Exposure Controls & Personal Protection

Occupational exposure limits

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Choline chloride (67-48-1)	OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	Not listed
		REL-STEEL	Not listed
		REL-C	Not listed
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	Not listed
		TLV-STEEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed

Safety Data Sheet (SDS)

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Alcohol ethoxylate (78330-21-9)	OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	Not listed
		REL-STEL	Not listed
		REL-C	Not listed
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	Not listed
		TLV-STEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
2-butoxyethanol (111-76-2)	OSHA PEL 8-hour TWA	PEL-TWA	50 ppm (240 mg/m ³)
		PEL-STEL	---
		PEL-C	---
		Skin designation	Yes
	NIOSH REL 10-hour TWA	REL-TWA	5 ppm (24 mg/m ³)
		REL-STEL	---
		REL-C	---
		IDLH	700 ppm
		Skin designation	Yes
	ACGIH TLV 8-hour TWA	TLV-TWA	---
		TLV-STEL	---
		TLV-C	---
		Skin designation	No
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	20 ppm (97 mg/m ³)
		PEL-STEL	---
		PEL-C	---
		Skin designation	Yes

Safety Data Sheet (SDS)

Component(s)	Authority	Type	Value
Methanol (67-56-1)	OSHA PEL 8-hour TWA	PEL-TWA	200 ppm (260 mg/m ³)
		PEL-STEL	---
		PEL-C	---
		Skin designation	No
	NIOSH REL 10-hour TWA	REL-TWA	200 ppm (260 mg/m ³)
		REL-STEL	250 ppm (325 mg/m ³)
		REL-C	---
		IDLH	6000 ppm
		Skin designation	Yes
	ACGIH TLV 8-hour TWA	TLV-TWA	200 ppm [2008]
		TLV-STEL	250 ppm [2008]
		TLV-C	---
		Skin designation	Yes
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	200 ppm (260 mg/m ³)
		PEL-STEL	250 ppm (325 mg/m ³)
		PEL-C	1000 ppm
		Skin designation	Yes

Note: ACGIH and NIOSH information available: [Occupational Chemical Database](#) | [Occupational Safety and Health Administration \(osha.gov\)](#)

Additional information	
Engineering controls:	
- Use in a well-ventilated area - Local exhaust ventilation should be used in areas without good cross-ventilation	
PPE	
Respiratory:	If engineering and administrative controls cannot keep exposure below occupational exposure limits, or if exposure is simply unknown, a NIOSH-certified respirator (organic vapor cartridge) should be used. Before donning the respirator, the user should have been properly fit-tested by a qualified entity.
Hands:	Chemical-resistant gloves
Skin:	Long sleeves; chemical apron
Eyes	Chemical goggles or safety glasses
Additional Notes:	Eyewash and shower stations should be nearby and easily accessible

Safety Data Sheet (SDS)

Section 9: Physical and Chemical Properties

Appearance		Method used/Remarks
Physical state:	Liquid	
Color:	Clear to light yellow	
Odor:	Mild solvent	
Odor threshold:	Not available	
pH:	5.0 – 6.5	
Freezing/melting point:	Not available	
Boiling point/range:	Not available	
Pour point:	-20C (4F)	
Flash point:	> 60C (140F)	
Autoignition temperature:	Not available	
Decomposition temperature:	Not available	
Flammability (solid, gas):	Not applicable	
Explosive properties:		
Upper/lower flammability or explosive limits:		
Flammability limit – upper (%)	Not explosive	
Flammability limit – lower (%)	Not explosive	
Combustible dust:	Not applicable	
Vapor pressure (mm/Hg):	Not available	
Vapor density (Air = 1):	Not available	
Evaporation rate (Butyl Acetate = 1):	Not available	
Specific gravity (Water = 1):	1.01 – 1.03	@20C
Density:	8.42 – 8.59 lbs./gallon	
Water solubility:	Soluble	
Viscosity (Dynamic):	Not available	
Viscosity (Kinematic):	Not available	
Partition coefficient (n/octanol/water):	Not available	
Surface tension:	Not available	
Particle size:	Not applicable	

Section 10: Stability and Reactivity

Chemical stability/reactivity:	Stable under recommended use and storage conditions
Possibility of hazardous reactions:	Hazardous polymerization is not expected to occur
Conditions to avoid:	- Extreme high temperatures - Incompatible materials - Direct sunlight
Incompatible materials:	- Strong oxidizers - Strong acids and bases
Hazardous decomposition products:	Primarily CO_x; acrid fumes may be released

Section 11: Toxicological Information

Information on likely routes of exposure	
Inhalation:	May cause some irritation to airway if directly inhaling. Signs/symptoms may include cough, shortness of breath, irritation to nasal passage.
Skin/dermal contact (absorption):	Can cause skin irritation. Signs/symptoms may include localized redness and itching. May affect users with sensitive skin more
Eye contact:	May cause eye irritation. Signs/symptoms may include redness and itching
Ingestion:	May be harmful if swallowed. May cause gastrointestinal irritation and other adverse effects. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea in high doses.

Information on toxicological effects

Acute inhalation toxicity

<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
As mixture	LC50	No data	No data	No data
Choline chloride (67-48-1)	LC50	No data	No data	No data
Alcohol ethoxylate (78330-21-9)	LC50	No data	No data	No data
2-butoxyethanol (111-76-2)	LC50	~450 ppm (~2.18 mg/l)	Rat	4-hours
Methanol (67-56-1)	LC50	~64,000 ppm (83.2 mg/L)	Rat	4-hours

Safety Data Sheet (SDS)

Acute dermal toxicity

<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
As mixture	LD50	N/A	N/A	N/A
Choline chloride (67-48-1)	LD50	Not available	Not available	Not stated
Alcohol ethoxylate (78330-21-9)	LD50	> 2000 mg/kg	Rabbit	Not stated
2-butoxyethanol (111-76-2)	LD50	~ 1100 mg/kg	Rabbit	Not stated
Methanol (67-56-1)	LD50	~ 15800 mg/kg	Rabbit	Not stated

Acute oral toxicity

<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
As mixture	LD50	N/A	N/A	N/A
Choline chloride (67-48-1)	LD50	~ 3500 mg/kg	Rat	Not stated
Alcohol ethoxylate (78330-21-9)	LD50	~ 2000 mg/kg	Rat	Not stated
2-butoxyethanol (111-76-2)	LD50	~ 1200 mg/kg	Rat	Not stated
Methanol (67-56-1)	LD50	~ 5628 mg/kg	Rat	Not stated

Serious eye corrosion/irritation

Can cause eye irritation

Serious skin corrosion/irritation

Can cause skin irritation, especially in users with sensitive skin

Respiratory sensitization

Product not classified as a respiratory sensitizer

Skin sensitization

This product is not expected to be a skin sensitizer

Safety Data Sheet (SDS)

Carcinogenicity:						
Component	CASRN	IARC	ACGIH	OSHA	NTP	EPA
Choline chloride	67-48-1	x	x	x	x	x
Alcohol ethoxylate	78330-21-9	x	x	x	x	x
2-butoxyethanol	111-76-2	x	A3	x	x	x
Methanol	67-56-1	x	x	x	x	x

"X" denotes "not a carcinogen," "not classifiable as a human carcinogen," or no information available

IARC – International Agency for Research on Cancer	1 2A 2B	Carcinogenic to humans Probably carcinogenic to humans Possibly carcinogenic to humans
ACGIH – American Conference of Governmental Industrial Hygienists	A1 A2 A3	Known human carcinogen Suspected human carcinogen Animal carcinogen
OSHA – Occupational Safety and Health Administration	1A 1B 2	Known to have carcinogenic potential for humans, based on human evidence Presumed to have carcinogenic potential for humans, based on animal evidence Suspected human carcinogen
NTP – National Toxicity Program	K RA	Known carcinogen Reasonably anticipated to be a human carcinogen
EPA	A B1 B2 C	Carcinogenic to humans Probably carcinogenic; evidence from animal testing, with limited human evidence Probably carcinogenic; evidence from animal testing, with no human evidence Possibly carcinogenic; limited animal testing evidence . . . no human evidence

Based on individual component listings, this mixture is NOT a suspected carcinogen hazard

Reproductive toxicity:	
Component(s)	Evaluation
Choline chloride	Not classified
Alcohol ethoxylate	Not classified
2-butoxyethanol	No reproductive effects at typical workplace exposure levels.
Methanol	Animal studies suggest reproductive and developmental toxicity at high doses; not expected at 1% in mixture

Germ cell mutagenicity:	
Component(s)	Evaluation
Choline chloride	Not classified
Alcohol ethoxylate	Not classified
2-butoxyethanol	Not classified
Methanol	Not classified

Safety Data Sheet (SDS)

Teratogenicity:	
<u>Component(s)</u>	<u>Evaluation</u>
Choline chloride	Not classified
Alcohol ethoxylate	Not classified
2-butoxyethanol	High-dose animal studies show fetotoxicity at maternally toxic levels; not teratogenic
Methanol	Teratogenic in animal models at high doses (oral, inhalation)

Specific target organ toxicity – Single exposure (STOT-SE):	
<u>Component(s)</u>	<u>Evaluation</u>
Choline chloride	Not classified
Alcohol ethoxylate	Not classified
2-butoxyethanol	May cause CNS effects at high exposure levels. Not expected in this mixture.
Methanol	Known STOT-SE Category 1 (CNS, optic nerve) at high doses, but not triggered in this mixture due to 1% concentration.

Specific target organ toxicity – Repeated exposure (STOT-RE):	
<u>Component(s)</u>	<u>Evaluation</u>
Choline chloride	Not classified
Alcohol ethoxylate	Not classified
2-butoxyethanol	Not classified under GHS for STOT-RE, but repeated high-dose exposures in animals cause hemolysis and secondary organ effects (especially in rodents); no effects observed at occupational exposure levels
Methanol	STOT-RE Category 1 for optic nerve and CNS — however, < 10% in mixture; therefore, not classified under GHS

Additional hazards	
<u>Component(s)</u>	<u>Hazard(s)</u>
Mixture	No additional hazards not already stated

Routes of entry	
<u>Component(s)</u>	<u>Entry</u>
Mixture	Ingestion, inhalation, eye contact, dermal

Section 12: Ecological Information

Ecotoxicity (fish)

<u>Component(s)</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Choline chloride	LC50	> 1000 mg/l	Oncorhynchus mykiss (rainbow trout)	96-hours
Alcohol ethoxylate	LC50	~ 1-10 mg/l	Lepomis macrochirus (bluegill)	96-hours
2-butoxyethanol	LC50	~ 1490 mg/l	Pimephales promelas (fathead minnow)	96-hours
Methanol	LC50	~ 15400 mg/l	Danio rerio (zebrafish)	96-hours

Ecotoxicity (invertebrates)

<u>Component(s)</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Choline chloride	EC50	> 500 mg/l	Daphnia magna (water flea)	48-hours
Alcohol ethoxylate	EC50	~ 1.5 mg/l	Daphnia magna (water flea)	48-hours
2-butoxyethanol	EC50	~ 1000 mg/l	Daphnia magna (water flea)	48-hours
Methanol	EC50	~ 12000 mg/l	Daphnia magna (water flea)	48-hours

Ecotoxicity (algae)

<u>Component(s)</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Choline chloride	EC50	NOEC > 100 mg/l	Pseudokirchneriella subcapitata (green algae)	72-hours
Alcohol ethoxylate	EC50	0.5 – 1.0 mg/l	Pseudokirchneriella subcapitata (green algae)	72-hours
2-butoxyethanol	EC50	> 720 mg/l	Pseudokirchneriella subcapitata (green algae)	72-hours
Methanol	EC50	> 22000 mg/l	Pseudokirchneriella subcapitata (green algae)	72-hours

Safety Data Sheet (SDS)

Additional information	
Component: Mixture	
Biodegradability:	Biodegradable
Bioaccumulative potential:	No information on the product
Mobility in soil:	Moderate to high mobility
Additional notes:	- This preparation contains no substance considered to be persistent, bioaccumulating, nor toxic (PBT) - This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Section 13: Disposal Considerations

General:	Dispose in accordance with applicable local, state, and federal regulations. Do not allow waste to drain into storm drains, sewers, or any other mechanism that would allow introducing into an offsite water way.	
Hazardous waste:	No	Follow RCRA guidance to determine if hazardous waste
RCRA hazardous waste code(s):	For a complete listing of RCRA hazardous waste codes, please refer to the RCRA Information page of the EPA, Waste Code (epa.gov)	

Section 14: Transport Information

Department of Transportation (DOT)	
UN/NA number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary group)	-----
Packing group	-----
Reportable Quantity (RQ)	-----

Note: None

International Air Transport Administration (IATA) & International Civil Aviation Organization (ICAO)	
UN number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary class)	-----
Packing group	-----

Safety Data Sheet (SDS)

International Maritime Dangerous Goods (IMDG) & International Maritime Organization (IMO)	
UN number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary group)	-----
Packing group	-----
Marine pollutant:	-----
EmS-No	-----

Note: Refer to the 49 CFR 172.101 Table for additional information related to packaging types, exceptions, and specific information related to airlines, air cargo, and sea freight requirements.

Note: Identification numbers beginning with NA refer to being a regulated DOMESTIC shipment only. This can include air and maritime in addition to highway. Consult the 49 CFR 172.101 table for specific shipping information. Shipments with identification numbers beginning with NA are not to be used for international shipments of any kind.

Note: Some carriers have additional requirements. Contact your carrier for any additional requirements not already stated in the 49 CFR 172.101 Table.

Section 15: Regulatory Information		
US Federal Regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substance Control Act (TSCA)	The hazardous components listed in Section 3 of this SDS are active in the US EPA TSCA Inventory listing.	
OSHA specifically regulated substances (29 CFR 1910.1001-1050)	No	
EPCRA SARA 302 (Extremely Hazardous Substances)	No	
SARA 311/312 (Tier I/II Reporting)	Yes	
SARA 313 (Toxic Release Inventory)	No	Note: N/A
Clean Air Act, Section 112 (Hazardous Air Pollutants)	No	Note: N/A
Clean Air Act, Section 112r (Risk Management Plan)	No	

Safety Data Sheet (SDS)

US State Regulations	
California Proposition 65	WARNING: This product does contain substances which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical name	CASRN	California Proposition 65 Type of Toxicity
Methanol (1% by weight)	67-56-1	Developmental toxicity

Global inventory status											
	<u>AICS</u>	<u>DSL</u>	<u>NDSL</u>	<u>IECSC</u>	<u>EINECS</u>	<u>ENCS</u>	<u>KECL</u>	<u>NZIoC</u>	<u>PICCS</u>	<u>TCSI</u>	<u>TSCA</u>
Mixture	--	--	--	--	--	--	--	--	--	--	--
67-48-1	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
78330-21-9	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
111-76-2	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
67-56-1	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed

Note: As a mixture, this product will not be found on global inventory lists

Note: The information used to confirm the compliance status of this product may include additional components not listed in Section 3.

Section 16: Other Information


HMIS[®] 4th edition:
NFPA 704:

HEALTH	2
FLAMMABILITY	1
PHYSICAL	0
PPE Level	C

Note:

Additional information related to PPE levels can be found in 29 CFR 1910.120, Appendix B

Users of this product should follow the HMIS, 4th edition label (top left).



Note to reader:

The information herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Economy Polymers & Chemicals assumes no responsibility for personal or property damage to vendors, users, or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

This SDS was generated in accordance with the Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 09/25/2015

Revision date:

07/16/2025