

Safety Data Sheet (SDS)

Section 1: Product and Company Identification

Product code:	F0112	SDS No.	F0112-1
Product name:	LIQUID POLY GEL	Creation date:	06/30/2025
Trade name:	Liquid Poly Gel	Revision date:	---
Recommended uses:	Gelling agent		0
Restricted uses:	Consumer use		
Producer/supplier:	Economy Polymers & Chemicals 435 E. Anderson Road Houston, TX 77047 (713) 723-8416 sales@economypolymers.com	Emergency contact: CHEMTREC	(703) 527-3887 (800) 424-9300
		SDS created by:	Economy EHS

Section 2: Hazards Identification

Health hazards (29 CFR 1910.1200, Appendix A)	Physical hazards (29 CFR 1910.1200, Appendix B)
Specific Target Organ Toxicity - Single Exposure (STOT-SE), Category 3	No physical hazards identified
	Environmental hazards
	Hazardous to the aquatic environment, acute hazard, Category 2
	Hazardous to the aquatic environment, long-term hazard, Category 2

Signal Word: **WARNING**

Pictogram(s):



Note: This product is classified as a hazardous substance as defined in 29 CFR 1910.1200.

Safety Data Sheet (SDS)

GHS Hazard Statement(s)

H336: May cause drowsiness or dizziness

H401: Toxic to aquatic life

H411: Toxic to aquatic life with long-lasting effects

GHS Precautionary Statement(s)

Prevention

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P309+P311: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice/attention.

Storage

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Section 3: Composition

<u>CASRN</u>	<u>Hazardous Components</u>	<u>Concentration (% / wt.)</u>
64742-47-8	Petroleum distillates, hydrotreated light	40 - 50
9000-30-0	Guar gum	30 - 40
9000-11-7	Carboxymethyl cellulose	10 - 20
68953-58-2	Quaternary ammonium compounds, bis(hydrogenated tallow alkyl)dimethyl, salts	1 - 5

Note: Only the hazardous constituent components greater than 1.0% by weight (0.1% for carcinogens) are listed above.

Section 4: First Aid Measures

In case of inhalation:	• Move the exposed person to fresh air at once. • Seek medical attention at once if respiratory irritation develops or if breathing becomes difficult. • If breathing stops, provide CPR; call 9-1-1.
In case of skin contact:	• Wash off immediately with soap and plenty of water. • Remove contaminated clothing (wash before reuse). • Avoid allowing the spread of the material to unaffected skin. • Get medical attention if irritation or rash develops.
In case of eye contact:	• Remove contact lenses, if applicable. • Do not rub eyes. • Use suitable eyewash solutions. Preferably an eyewash station capable of delivering a 15-minute continuous flush. • Seek immediate medical attention.
In case of ingestion:	• Give plenty of water. • Do NOT induce vomiting without medical advice. • If vomiting occurs spontaneously, properly position the individual to mitigate risks of aspiration. • Immediately seek medical treatment. • Never give anything by mouth to an individual who has lost consciousness
Signs and symptoms of exposure:	• See Section 11 of this SDS.
Note to physician:	• SDS is immediately available.
Additional notes:	• The severity of the symptoms described will vary dependent on the concentration and the length of exposure. If adverse symptoms develop, the individual should be transferred to hospital as soon as possible.

Safety Data Sheet (SDS)

Section 5: Fire Fighting Measures

Suitable extinguishing media:	Water spray	Dry chemical powder
	Alcohol-resistant foam	Carbon dioxide (CO ₂)
Unsuitable extinguishing media and/or method:	If water is allowed, do not use a solid water stream as it may scatter and spread fire.	
Specific and/or unusual hazards:	Vapors may cause flash fire	
Special protective equipment and precautions for firefighters:	- Wear full-protective clothing, including positive pressure NIOSH-certified SCUBA, as appropriate, depending on the - Containers of other materials near the fire should be immediately cooled with water or removed if safe to do so. - For larger fires, evacuate nearby areas.	
Fire-fighting equipment and/or special instructions/advice:	Do not allow contaminated extinguisher media, including water, to enter storm drains or other routes leading to bodies of water.	
Hazardous combustion by-products	CO_x, NO_x, hydrocarbons	

Section 6: Accidental Release Measures

Personal precautions, PPE, and emergency procedures:	- Handle in accordance with good industrial hygiene and safety practices. - Wear appropriate personal protective equipment (PPE), see Section 8. Do not handle spilled material without adequate PPE. - Ensure adequate ventilation when using this material. - Be aware of hazardous by-products released after ignition or excessive heating.
Methods and materials for containment and clean-up:	Use appropriate containment berms to prevent entering storm drains, sewers, retention ponds, and other routes to outside waterways. Notify local/State authorities if this occurs.
Environmental precautions:	- Do not allow spills, including water run-off from fire-fighting or spill clean-up, to fall into storm drains, sewers, or otherwise reaching outside waterways. Use containment or barriers as necessary. - Use appropriate packaging for waste collection. - Properly label the packaging and dispose of contaminated wash water and any other clean-up media in accordance with local, state, and federal regulations. - Document and retain all release information for purposes of reporting, if applicable.

Safety Data Sheet (SDS)

Section 7: Handling and Storage

Precautions for safe handling:	• Wear appropriate PPE. See Section 8 for required/recommended PPE. • Avoid contact with eyes. • Wash hands and skin thoroughly after handling this product. • Do not breath vapors or mists. • Have fire extinguishing device(s) nearby when handling. • Use only in well-ventilated environments. • Wet spilled contents prior to clean-up to avoid dust generation.
Conditions for safe storage:	• Store and handle in accordance with current regulations and standards. • Protect from static discharges, excessive heat, or open flame. • Protect from physical damage to container/packageing. • Maintain good housekeeping. Clean-up spilled contents; wet before clean-up. • Have fire extinguishing device(s) in storage area.

Section 8: Exposure Controls & Personal Protection

Occupational exposure limits			
<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Mixture	OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	Not listed
		REL-STEEL	Not listed
		REL-C	Not listed
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	Not listed
		TLV-STEEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed

Safety Data Sheet (SDS)

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Petroleum distillates, hydrotreated light (64742-47-8)	OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	5 mg/m ³ (inhalable mist)
		REL-STEL	10 mg/m ³ (inhalable mist)
		REL-C	Not listed
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	5 mg/m ³ (inhalable mist)
		TLV-STEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Guar gum (9000-30-0)	OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	Not listed
		REL-STEL	Not listed
		REL-C	Not listed
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	Not listed
		TLV-STEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed

Safety Data Sheet (SDS)

<u>Component(s)</u>	<u>Authority</u>	<u>Type</u>	<u>Value</u>
Carboxymethyl cellulose (9000-11-7)	OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed
	NIOSH REL 10-hour TWA	REL-TWA	Not listed
		REL-STEL	Not listed
		REL-C	Not listed
		IDLH	Not listed
		Skin designation	Not listed
	ACGIH TLV 8-hour TWA	TLV-TWA	Not listed
		TLV-STEL	Not listed
		TLV-C	Not listed
		Skin designation	Not listed
	CAL/OSHA PEL 8-hour TWA	PEL-TWA	Not listed
		PEL-STEL	Not listed
		PEL-C	Not listed
		Skin designation	Not listed

Note: ACGIH and NIOSH information available: [Occupational Chemical Database](#) | [Occupational Safety and Health Administration \(osha.gov\)](#)

Additional information	
Engineering controls:	
- Use in a well-ventilated area - Local exhaust ventilation should be used in areas without good cross-ventilation. The accumulation of dust concentrations may form an explosive hazard in areas of limited to no ventilation	
PPE	
Respiratory:	If engineering and administrative controls cannot keep exposure below occupational exposure limits, or if exposure is simply unknown, a NIOSH-certified respirator (organic vapor cartridge) should be used. Before donning the respirator, the user should have been properly fit-tested by a qualified entity.
Hands:	Chemical-resistant gloves
Skin:	Long sleeves; chemical apron
Eyes	Chemical goggles or safety glasses
Additional Notes:	Eyewash and shower stations should be nearby and easily accessible

Safety Data Sheet (SDS)

Section 9: Physical and Chemical Properties

Appearance		Method used/Remarks
Physical state:	Liquid, viscous	
Color:	Beige	
Odor:	Hydrocarbon	
Odor threshold:	Not available	
pH:	6.5 – 8.5	1% solution
Freezing/melting point:	-10C (14F)	
Boiling point/range:	Not available	
Pour point:	Not available	
Flash point:	186 - 264C (367 - 507F)	
Autoignition temperature:	Not available	
Decomposition temperature:	Not available	
Flammability (solid, gas):	Not applicable	
Explosive properties:		
Upper/lower flammability or explosive limits:		
Flammability limit – upper (%)	Not explosive	
Flammability limit – lower (%)	Not explosive	
Combustible dust:	Not applicable	
Vapor pressure (mm/Hg):	Not available	
Vapor density (Air = 1):	Not available	
Evaporation rate (Butyl Acetate = 1):	Not available	
Specific gravity (Water = 1):	1.07 – 1.09	
Density:	9.09 lbs./gallon	
Water solubility:	Soluble	
Viscosity (Dynamic):	1500-3000 cP	Brookfield @25C
Viscosity (Kinematic):	Not available	
Partition coefficient (n/octanol/water):	Not available	
Surface tension:	Not available	
Particle size:	Not applicable	

Section 10: Stability and Reactivity

Chemical stability/reactivity:	Stable under recommended use and storage conditions
Possibility of hazardous reactions:	Hazardous polymerization is not expected to occur
Conditions to avoid:	- Extreme high and low temperatures. Over 100C, the product will slowly decompose, impairing dissolving quality - Dust accumulation in stagnant/low-ventilated areas.
Incompatible materials:	- Strong oxidizers - Strong acids and bases - Peroxides
Hazardous decomposition products:	CO_x, NO_x

Section 11: Toxicological Information

Information on likely routes of exposure	
Inhalation:	May cause some irritation to airway if directly inhaling. Signs/symptoms may include cough, shortness of breath, irritation to nasal passage.
Skin/dermal contact (absorption):	Can cause skin irritation. Signs/symptoms may include localized redness, swelling, itching.
Eye contact:	Can cause eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.
Ingestion:	Harmful if swallowed. May cause gastrointestinal irritation and other adverse effects. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Information on toxicological effects				
Acute inhalation toxicity				
<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light (64742-47-8)	LC50	5.2 mg/l	Rat	4-hours
Carboxymethyl cellulose (9000-11-7)	LC50	5.8 mg/l (dust/mist)	Rat	4-hours
Guar gum (9000-30-0)	LC50	Not stated	Not stated	Not stated

Safety Data Sheet (SDS)

Acute dermal toxicity				
<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light (64742-47-8)	LD50	> 2000 mg/kg	Rabbit	Not stated
Carboxymethyl cellulose (9000-11-7)	LD50 (OECD 404)	> 2000 mg/kg	Rabbit	Not stated
Guar gum (9000-30-0)	LD50	Not stated	Not stated	Not stated

Acute oral toxicity				
<u>Component</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light (64742-47-8)	LD50	> 5000 mg/kg	Rabbit	Not stated
Carboxymethyl cellulose (9000-11-7)	LD50 OECD 401	> 2,000 mg/kg	Rat	Not stated
Guar gum (9000-30-0)	LD50	6770 mg/kg	Not stated	Not stated

Serious eye corrosion/irritation
Does not cause serious eye corrosion/irritation
Serious skin corrosion/irritation
Does not cause serious skin corrosion/irritation, but may cause irritation in some users
Respiratory sensitization
Product is not classified as a respiratory sensitizer
Skin sensitization
This product is not expected to be a skin sensitizer

Safety Data Sheet (SDS)

Carcinogenicity:						
Component	CASRN	IARC	ACGIH	OSHA	NTP	EPA
Petroleum distillates, hydrotreated light	64742-47-8	X	X	X	X	X
Carboxymethyl cellulose	9000-11-7	X	X	X	X	X
Guar gum	9000-30-0	X	X	X	X	X

"X" denotes "not a carcinogen," "not classifiable as a human carcinogen," or no information available

IARC – International Agency for Research on Cancer	1 2A 2B	Carcinogenic to humans Probably carcinogenic to humans Possibly carcinogenic to humans
ACGIH – American Conference of Governmental Industrial Hygienists	A1 A2 A3	Known human carcinogen Suspected human carcinogen Animal carcinogen
OSHA – Occupational Safety and Health Administration	1A 1B 2	Known to have carcinogenic potential for humans, based on human evidence Presumed to have carcinogenic potential for humans, based on animal evidence Suspected human carcinogen
NTP – National Toxicity Program	K RA	Known carcinogen Reasonably anticipated to be a human carcinogen
EPA	A B1 B2 C	Carcinogenic to humans Probably carcinogenic; evidence from animal testing, with limited human evidence Probably carcinogenic; evidence from animal testing, with no human evidence Possibly carcinogenic; limited animal testing evidence . . . no human evidence

Based on individual component listings, this substance is NOT a suspected carcinogen hazard

Reproductive toxicity:	
<u>Component(s)</u>	<u>Evaluation</u>
Petroleum distillates, hydrotreated light	Not classified
Carboxymethyl cellulose	
Guar gum	

Germ cell mutagenicity:	
<u>Component(s)</u>	<u>Evaluation</u>
Petroleum distillates, hydrotreated light	Not classified
Carboxymethyl cellulose	
Guar gum	

Safety Data Sheet (SDS)

Teratogenicity:

<u>Component(s)</u>	<u>Evaluation</u>
Petroleum distillates, hydrotreated light	Not classified
Carboxymethyl cellulose	Not classified
Guar gum	Not classified

Specific target organ toxicity – Single exposure (STOT-SE):

<u>Component(s)</u>	<u>Evaluation</u>
Petroleum distillates, hydrotreated light	May cause drowsiness or cause mild narcotic effects
Carboxymethyl cellulose	Not classified
Guar gum	Not classified

Specific target organ toxicity – Repeated exposure (STOT-RE):

<u>Component(s)</u>	<u>Evaluation</u>
Petroleum distillates, hydrotreated light	Not classified
Carboxymethyl cellulose	Not classified
Guar gum	Not classified

Additional hazards

<u>Component(s)</u>	<u>Hazard(s)</u>
Petroleum distillates, hydrotreated light	May cause respiratory tract irritation in some users
Carboxymethyl cellulose	None
Guar gum	None

Routes of entry

<u>Component(s)</u>	<u>Entry</u>
Mixture	Ingestion, inhalation, eye contact, dermal

Safety Data Sheet (SDS)

Section 12: Ecological Information

Ecotoxicity

<u>Component(s)</u>	<u>Dosage</u>	<u>Amount</u>	<u>Species</u>	<u>Duration</u>
Petroleum distillates, hydrotreated light (64742-47-8)	LC50 (fish)	2.4 mg/l	Oncorhynchus mykiss (rainbow trout)	96-hours (static)
		2.2 mg/l	Lepomis macrochirus (bluegill)	96-hours (static)
		45 mg/l	Pimephales promelas (fathead minnow)	96-hours (flow-through)
	EC50 (invertebrates)	No data	No data	No data
	EC50 (algae)	No data	No data	No data
Carboxymethyl cellulose (9000-11-7)	LC50 (fish)	≥ 2000 mg/l	Oncorhynchus mykiss (freshwater trout)	96-hours
		≥ 6000 mg/l	Gasterosteus aculeatus (saltwater stickleback)	96-hours
	EC50 Invertebrates)	No data	No data	No data
	EC50 (algae)	No data	No data	No data
Guar gum (9000-30-0)	LC50 (fish)	No data	No data	No data
	EC50 Invertebrates)	No data	No data	No data
	EC50 (algae)	No data	No data	No data

Safety Data Sheet (SDS)

Additional information	
Component: Mixture	
Biodegradability:	No information available
Bioaccumulative potential:	No information available
Mobility in soil:	No information available
Additional notes:	- This preparation contains no substance considered to be persistent, bioaccumulating, nor toxic (PBT) - This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Section 13: Disposal Considerations

General:	Dispose in accordance with applicable local, state, and federal regulations. Do not allow waste to drain into storm drains, sewers, or any other mechanism that would allow introducing into an offsite water way.	
Hazardous waste:	No	Follow RCRA guidance to determine if hazardous waste
RCRA hazardous waste code(s):	N/A	For a complete listing of RCRA hazardous waste codes, please refer to the RCRA Information page of the EPA, Waste Code (epa.gov)

Section 14: Transport Information

Department of Transportation (DOT)	
UN/NA number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary group)	-----
Packing group	-----
Reportable Quantity (RQ)	-----

Note: None

International Air Transport Administration (IATA) & International Civil Aviation Organization (ICAO)	
UN number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary class)	-----
Packing group	-----

Safety Data Sheet (SDS)

International Maritime Dangerous Goods (IMDG) & International Maritime Organization (IMO)	
UN number	Not regulated for transport
DOT proper shipping name	-----
Hazard class (Subsidiary group)	-----
Packing group	-----
Marine pollutant:	-----
EmS-No	-----

Note: Refer to the 49 CFR 172.101 Table for additional information related to packaging types, exceptions, and specific information related to airlines, air cargo, and sea freight requirements.

Note: Identification numbers beginning with NA refer to being a regulated DOMESTIC shipment only. This can include air and maritime in addition to highway. Consult the 49 CFR 172.101 table for specific shipping information. Identification numbers beginning with NA are not to be used for international shipments of any kind.

Note: Some carriers have additional requirements. Contact your carrier for any additional requirements not already stated in the 49 CFR 172.101 Table.

Section 15: Regulatory Information		
US Federal Regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substance Control Act (TSCA)	The hazardous components listed in Section 3 of this SDS are active in the US EPA TSCA Inventory listing.	
OSHA specifically regulated substances (29 CFR 1910.1001-1050)	No	
EPCRA SARA 302 (Extremely Hazardous Substances)	No	
SARA 311/312 (Tier I/II Reporting)	Yes	
SARA 313 (Toxic Release Inventory)	No	Note: N/A
Clean Air Act, Section 112 (Hazardous Air Pollutants)	No	Note: N/A
Clean Air Act, Section 112r (Risk Management Plan)	No	

Safety Data Sheet (SDS)

US State Regulations	
California Proposition 65	WARNING: This product does not contain substances which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Chemical name	CASRN	California Proposition 65 Type of Toxicity
N/A	N/A	N/A

Global inventory status											
	<u>AICS</u>	<u>DSL</u>	<u>NDSL</u>	<u>IECSC</u>	<u>EINECS</u>	<u>ENCS</u>	<u>KECL</u>	<u>NZIoC</u>	<u>PICCS</u>	<u>TCSI</u>	<u>TSCA</u>
Mixture	--	--	--	--	--	--	--	--	--	--	--
64742-47-8	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
9000-11-7	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
9000-30-0	Listed	Listed	--	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed


Note: As a mixture, this product will not be found on global inventory lists

Note: The information used to confirm the compliance status of this product may include additional components not listed in Section 3.

Section 16: Other Information

HMIS[®] 4th edition:
NFPA 704:

HEALTH	1
FLAMMABILITY	1
PHYSICAL	0
PPE Level	C



Note:
Additional information related to PPE levels can be found in 29 CFR 1910.120, Appendix B

Users of this product should follow the HMIS, 4th edition label (top left).

Note to reader:

The information herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Economy Polymers & Chemicals assumes no responsibility for personal or property damage to vendors, users, or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

This SDS was generated in accordance with the Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 09/25/2015

Revision date:

06/30/2025